



Patent
Attorney Docket No. 007198-584

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Patent Application of

Wing Kin Chan

Application No.: 10/767,332

Filing Date: January 30, 2004

Title: HAIR STYLING ATTACHMENT

Group Art Unit: 3732

Examiner: Unassigned

Confirmation No.: 5221

SUBMISSION OF CERTIFIED COPY OF PRIORITY DOCUMENT

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Sir:

The benefit of the filing date of the following priority foreign application(s) in the following foreign country is hereby requested, and the right of priority provided in 35 U.S.C. § 119 is hereby claimed.

Country: China

Patent Application No(s): 03100772.1

Filed: January 30, 2003


In support of this claim, enclosed is a certified copy(ies) of said foreign application(s). Said prior foreign application(s) is referred to in the oath or declaration and/or the Application Data Sheet. Acknowledgment of receipt of the certified copy(ies) is requested.

Respectfully submitted,

BURNS, DOANE, SWECKER & MATHIS, L.L.P.

P.O. Box 1404
Alexandria, Virginia 22313-1404
(703) 836-6620

Date: August 10, 2004

By 
James A. LaBarre
Registration No. 28,632

香港特別行政區政府知識產權署專利註冊處
Patents Registry, Intellectual Property Department
The Government of the Hong Kong Special Administrative Region



知識產權署
Intellectual Property Department

PATENTS ORDINANCE

Chapter 514

Laws of the Hong Kong Special Administrative Region

The attached is a true copy of the Short-term Patent Application No. 03100772.1, which was deemed to be withdrawn on 4 April 2003.

**CERTIFIED COPY OF
PRIORITY DOCUMENT**

Dated this 20th day of January 2004.

(YIP CHIU YING RITA)

Intellectual Property Examiner
for Registrar of Patents

INTELLECTUAL PROPERTY DEPARTMENT

Patents Form P6
Version 2002
Fee No. 6

Patents Ordinance
(Chapter 514)

For Official Use

RECEIVED

2003 JAN 30 PM 4:06

專利及外務局
MICROFILM & VIDEO UNIT

Date of receipt

Application No.

03100772-1

Accorded filing date

30 JAN 2003

Request for Grant of a Short-Term Patent


Patents Ordinance sections 113, 116, 125
Patents (General) Rules sections 58, 74

(See the notes on the last page of this form)

01 Your reference	9869407:P/D:HALE:sk
02 Applicant's details (see note (4)(a)) Name (underline surname) Name in Chinese (if applicable) Address Telephone Fax Kind of incorporation Country of incorporation State of incorporation (if applicable)	CHAN, Wing Kin 陳永堅 Block A-C, 4/F., Wing Hin Factory Building, 31-33 Ng Fong Street, San Po Kong, Kowloon
03 Title of invention English (see note (4)(b)) Chinese	HAIR STYLING ATTACHMENT 頭髮成型附件

04 Details of International Patent Classification <i>(see note (5))</i>	IPC Code	IPC Edition No. 7
05 Use of micro-organisms <i>(tick the appropriate box)</i> <p>(a) Does the invention require the use of a micro-organism for its performance?</p> <p>(b) If you have ticked "Yes", please indicate whether the micro-organism is available to the public at the date of filing of the application; and</p> <p>whether the micro-organism is described in the application or the specification of the patent in such a manner as to enable the invention to be performed by a person skilled in the art.</p> <p>(c) If you have ticked "No" in both boxes in (b), please give the following details:</p> <p>Name and address of the depositary institution where a culture of the micro-organism is deposited</p> <p>Date of deposit <i>(Day/Month/Year)</i></p> <p>Accession No. of the deposit <i>(section 73 and Schedule 1, Patents (General) Rules)</i></p>	<div style="display: flex; justify-content: space-around; align-items: center;"> <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No </div> <div style="display: flex; justify-content: space-around; align-items: center;"> <input type="checkbox"/> Yes <input type="checkbox"/> No </div> <div style="display: flex; justify-content: space-around; align-items: center;"> <input type="checkbox"/> Yes <input type="checkbox"/> No </div> <p>Name:</p> <p>Address:</p>	
06 Details of international application If the short-term patent application is based on <p>(a) International Application No.</p> <p>(b) International Filing Date <i>(Day/Month/Year)</i></p> <p>(c) International Publication No.</p> <p>(d) International Publication Date <i>(Day/Month/Year)</i></p> <p>(e) Date of entry into the national phase in the People's Republic of China</p> <p>or</p> <p>Date of issuance of the National Application Notification by the State Intellectual Property Office</p> <p><i>(tick the appropriate box and enter the date in the space provided)</i></p>	<div style="display: flex; justify-content: space-between;"> <input type="checkbox"/> <div style="border-bottom: 1px solid black; width: 150px;"></div> </div> <p style="text-align: center;"><i>(Day/Month/Year)</i></p> <div style="display: flex; justify-content: space-between;"> <input type="checkbox"/> <div style="border-bottom: 1px solid black; width: 150px;"></div> </div> <p style="text-align: center;"><i>(Day/Month/Year)</i></p>	

<p>(f) Application No. of the Chinese patent application (if known)</p> <p><i>(section 125, Patents Ordinance and section 78, Patents (General) Rules)</i></p>									
<p>07 Details of earlier application If the application is divided or derived from an earlier Hong Kong application</p> <p>(a) Section under which an earlier application is claimed <i>(see note (6))</i> <i>(tick the appropriate box)</i></p> <p>(b) Earlier Application No.</p> <p>(c) Earlier Application Filing Date <i>(Day/Month/Year)</i></p>	<p style="text-align: center;">Patents Ordinance</p> <div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;"> <input type="checkbox"/> section 116 </div> <div style="text-align: center;"> <input type="checkbox"/> section 55 </div> </div>								
<p>08 Details of the priority application If a statement of claim of priority under section 111, Patents Ordinance is made <i>(sections 58(5)(c), 69, Patents (General) Rules)</i></p>	<p>Statement</p> <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 33%;">Country</th> <th style="width: 33%;">Priority Application No.</th> <th style="width: 33%;">Priority Application Filing Date</th> </tr> </thead> <tbody> <tr> <td style="height: 40px;"></td> <td></td> <td></td> </tr> </tbody> </table>			Country	Priority Application No.	Priority Application Filing Date			
Country	Priority Application No.	Priority Application Filing Date							
<p>09 Details of inventor <i>(see note (4)(a))</i> <i>(see note (7))</i></p> <p style="text-align: right;">Name <i>(underline surname)</i></p> <p style="text-align: right;">Name in Chinese <i>(if applicable)</i></p> <p style="text-align: right;">Address</p>	<p>CHAN, Wing Kin 陳永堅</p> <p>Block A-C, 4/F., Wing Hin Factory Building, 31-33 Ng Fong Street, San Po Kong, Kowloon</p>								
<p>10 Non-prejudicial disclosure If the applicant is making a claim regarding non-prejudicial disclosure under section 109, Patents Ordinance, please provide a statement giving details relating to such disclosure. <i>(see note (8))</i></p>	<p>Statement</p> <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 33%;">Name and place of the exhibition or meeting</th> <th style="width: 33%;">Opening date of the exhibition or meeting</th> <th style="width: 33%;">Date of first disclosure</th> </tr> </thead> <tbody> <tr> <td style="height: 40px;"></td> <td></td> <td></td> </tr> </tbody> </table>			Name and place of the exhibition or meeting	Opening date of the exhibition or meeting	Date of first disclosure			
Name and place of the exhibition or meeting	Opening date of the exhibition or meeting	Date of first disclosure							

<p>13 Name of agent <i>(if you have one)</i></p> <p>Address for service in Hong Kong</p> <p>Telephone</p> <p>Fax</p> <p>Agent's code <i>(if known)</i></p>	<p>Deacons</p> <p>3rd-7th, 18th & 29th Floors, Alexandra House, Central Hong Kong</p> <p>2825 9336 (Hans Lee)</p> <p>2810 0431</p>
<p>14 I/We request the Registrar to grant a short-term patent.</p> <p>Signature</p> <p>Name of signatory</p> <p>Official capacity of signatory</p> <p>Date <i>(Day/Month/Year)</i></p>	 <p>Paul Davies</p> <p>Patent Attorney</p> <p>30/01/2003</p>

Notes

- (1) *Application on this form should be made in English. (Chinese forms are available if you wish to use Chinese.) The official language in which an application is filed is used as the language of proceedings in all proceedings before the Registrar.*
- (2) **Please complete this form in black ink or by typing.**
- (3) *If there is not enough space for all the relevant details on any part of this form, please continue on a separate sheet of paper and write "see continuation sheet" in the relevant part. Any continuation sheet should be attached to this form.*
- (4)
 - (a) *If the name of the applicant and inventor are not in Roman letters, you need to give a transliteration in Roman letters.*
 - (b) *You need to state the title of the invention in both **English and Chinese**.*
- (5) *Please give the designation of the classification of the invention according to the International Patent Classification up to the subclass level, also indicating the edition no. of the IPC used.*
- (6) *A claim of earlier application date may be made under :*
 - (a) *section 116, Patents Ordinance for divisional application;*
 - (b) *section 55, Patents Ordinance for new application filed on court order upon determination of right to patent after grant.*
- (7) *If the applicant is not the sole inventor or the applicants are not the joint inventors, a statement identifying the inventor(s) and indicating the derivation of the applicant's entitlement to exercise his right to the short-term patent shall be made on Patents Form P7 and a sufficient no. of copies of the form should be filed to enable the Registrar to send one to each inventor who is not one of the applicants (section 113(2)(c), Patents Ordinance and section 65, Patents (General) Rules).*
- (8) *Please refer to section 109, Patents Ordinance and sections 58(5)(e), 58(5)(f), 70, Patents (General) Rules for such claim of non-prejudicial disclosure.*
- (9) *Please remember to sign and date the form.*
- (10) **Use of individual's personal data:** *Personal data provided by means of this form will be used by the Intellectual Property Department and can be disclosed for purposes relating to the administration of the Patents Ordinance (Cap. 514). The personal data required by this form is necessary for processing your application. You can obtain information regarding access to and alteration of your personal data in accordance with the Patents Ordinance (Cap. 514) and Patents (General) Rules (Cap. 514C) by contacting the Registrar of Patents.*

HAIR STYLING ATTACHMENT

FIELD OF THE INVENTION

This invention relates to hair styling attachments, devices and apparatus
5 and, more particularly, to hair styling attachments, devices and apparatus which
operate with a hot or warm air source in the hair styling, setting or treating
process. More specifically, although of course not solely limited thereto, this
invention relates to attachments, devices and apparatus for hair straightening.

BACKGROUND OF THE INVENTION

10 Hair style setting attachments, devices and apparatus (collectively "hair
formers") are widely used to effect designed or desirable hair styling for personal
grooming or other requirements such as theatrical needs. In general, hair formers
with the particular hair forming members can form specific designs of hair styling.
For example, hair rollers or curlers are used to produce a curly effect on hair and
15 hair straighteners are used to straighten hair which is otherwise curly.

Typically, to straighten hair a hair-dresser holds a comb or brush by one
hand, engages the portion of hair to be straightened, imparting straightening
tension to that portion of the hair by pulling towards the free end of the hair and
then blow hot or warm air onto that portion of the hair to impart more permanent
20 hair styling setting to that portion of the hair. This requires the service of a hair-
dresser and may not be comfortable to the customer because different customers
may have different susceptibility to the straightening tension and different levels of
straightening tension may be required to treat hair of different qualities.

Furthermore the traditional way of hair straightening requires two separate styling parts, namely, the comb or brush and the hair dryer or hot air blower. Since both hands are required, this may be inconvenient. Hence, it will be highly desirable if there can be provided an improved hair styling attachment, device or apparatus which alleviates the shortcomings associated with the above-mentioned conventional hair styling means and methods. More specifically, it is highly desirable to provide hair styling attachment, device or apparatus with integral means to simultaneously apply heat and tension to the hair for hair straightening.

OBJECT OF THE INVENTION

Accordingly, it is an object of the present invention to provide a hair styling attachment, device or apparatus which alleviates shortcomings associated with conventional means, methods and apparatus for hair styling, especially hair straightening. More specifically, it is an object of the present invention to provide a hair styling attachment, device or apparatus with integral means to simultaneously impart heat and tension to the hair or hair straightening. At a minimum, it is an object of this invention to provide the public with a useful choice of a hair styling attachment, device or apparatus.

SUMMARY OF THE INVENTION

According to the present invention, there is provided a hair styling attachment including a main housing and at least a pair of hair treating members, said hair treating member includes at least a thermally conductive hair treating surface, said pair of hair treating members being adjacently disposed with the corresponding hair treating surfaces on said pair of adjacent hair treating members generally in compressive contact, said corresponding hair treating

surfaces on said pair of adjacent hair treating members being relatively displaceable to form a gap for receiving the hair to be treated, said main housing includes an air inlet and said hair treating surface being communicable with said air inlet.

5 According to another aspect of the present invention, a hair styling apparatus including a hair styling attachment of claim 5 and a hot air blower.

 Preferably, said adjacent hair treating surfaces on said pair of adjacent hair treating members being resiliently displaceable to form said hair engaging gap.

 Preferably, said hair treating members includes a first end and a second
10 end, the first end being a free end and the second end being mounted on said main housing, the first end of at least one of said hair treating member of said pair of hair treating members being resiliently deflectable and/or displaceable with respect to said main housing.

 Preferably, said hair treating member includes a generally cylindrical main
15 body with a first cylindrical axis, said hair treating member includes at least a cylindrical roller with its cylindrical axis substantially parallel to and off-set from said first cylindrical axis so that at least part of the cylindrical surface of said cylindrical roller is exposed from said cylindrical surface of said cylindrical main body and forming said cylindrical body and from said hair treating surface.

20 Preferably, said main housing includes an upstream end and a downstream end, said hair treating members include a first and a second end, said first end being a free end and protrudes beyond said downstream end.

Preferably, said first end of said hair treating member being deflectable and/or displaceable relative to said main housing and said corresponding hair treating surfaces being generally convexly disposed with respect to each other.

5 Preferably, said hair treating member resembles a finger with a generally cylindrical body.

Preferably, said hair treating member includes a generally elongated and thermally insulated main body mounted with a metallic surface to form said hair treating surface.

10 Preferably, said metallic surface being generally curved with the same curvature extending along an axis of curvature, said axis of curvature being generally parallel to the longitudinal axis of said insulated main body.

15 Preferably, said attachment includes a plurality of hair treating members, wherein a first and a second hair treating surfaces are formed on some of said plurality of hair treating members, said hair treating surfaces on the same hair treating member being generally diametrically disposed on said cylindrical body.

Preferably, air entering said upstream end of said main housing can exit through the gap formed between adjacent hair treating members.

Preferably, said main housing includes an attachment means for coupling said device to a hot air blower.

20 Preferably, said attachment includes a plurality of hair treating members, wherein said plurality of hair treating members are linearly disposed.

Preferably, bristles generally parallel to the longitudinal axis said hair treating members are disposed on said main housing.

Preferably, the second ends of an adjacent pair of hair treating members co-operatively forms an hair engaging aperture, said hair engaging aperture being
5 convergent towards said upstream end of said main housing.

Preferably, said styling device being detachable from said hot air blower.

BRIEF DESCRIPTION OF THE DRAWINGS

A preferred embodiment of the present invention will be explained in further detail below by way of examples and with reference to the accompanying
10 drawings, in which:-

Fig. 1 is a top plan view of a preferred embodiment of a hair caring attachment of the present invention;

Fig. 2 is a cross-sectional view along the section line A-A of the attachment of Fig. 1;

15 Fig. 3 is a cross-sectional view along the section line B-B of the attachment of Fig. 1;

Fig. 4 is a cross-sectional view along the section line C-C of the attachment of Fig. 1;

20 Fig. 5 is a cross-sectional view along the section line D-D of the attachment of Fig. 1;

Fig. 5A shows the front and side views of an exemplary hair treating member.

Fig. 6 shows the same cross-sectional view as Fig. 2 but with the hair treating members displaced relative to each other;

5 Fig. 7 is a sectional view along the line C-C corresponding to Fig. 6;

Fig. 8 illustrates engagement of hair by a pair of adjacent hair treating members; and

Fig. 9 illustrates the displacement of one of the hair treating member the hair is engaged between the left-most pair of the hair treating members.

10 DETAILED DESCRIPTION OF THE PREFERRED EMBODIMENTS

Referring to the Figures, the hair styling device which is a hair styling attachment 1 for the present example includes a main housing 10 and a plurality of hair treating members 21-25. The main housing 10 includes a generally frusto-conical body with an upstream end 12, a downstream end 13 and a
15 circumferential wall 14 interconnecting the upstream end and the downstream end. The downstream end of the main body 10 includes a top member 15 on which a sub-assembly including the plurality of the hair treating members 21-25 and a mounting base 26 is attached. The upstream end 16 of the main housing includes an air-inlet aperture and coupling means for attaching to a hot air blower
20 such as a hair dryer. The coupling means includes a collar member 16 which extends generally along the axial direction of the frusto-conical main body and is provided with a circumferential flange 17 for, for example, latching engagement with the nozzle of the hot air blower.

The hair treating member **21-25** includes an elongated main body with a generally circular or rounded cross-section and a thermally conductive hair treating surface. The elongated main bodies of the plurality of the hair treating members are generally aligned with their longitudinal axes generally parallel and
5 the corresponding hair treating surfaces in contiguous compressive contact.

In the present example, each of the main bodies of the hair treating members are generally cylindrical with a dome-shaped top or first end with the second end mounted on the base **26** of the main housing. The main bodies are preferably made of a thermally insulated material so as to avoid injuring the scalp
10 of a user, although, of course, a thermally conductive main body can also be used. The dome-shaped first ends of the adjacent pairs of hair treating members cooperate to form a plurality of hair engaging apertures so that the hair treating members are adapted to more conveniently approach and engage the hair to be
15 straightened. At least a roller is mounted with its longitudinal axis off-set from the cylindrical axis of the main body **51-55** of the hair treating member so that part of the curved surface is protruded from the cylindrical surface of the main body **51-55** of the hair treating members exposed to form the hair treating surface. While
20 the rollers have a generally cylindrical body in this example, it will be noted that roller body of other geometry with a longitudinal extending curved surface can be used. For those hair treating members not disposed at the extreme ends i.e., hair treating members **22-24**, a pair of rollers are mounted on each of the main bodies **52-54**. These rollers are mounted off-set from the cylindrical axis of the main body and are disposed so that the curved cylindrical surfaces of the corresponding cylindrical rollers are slightly pressing against each other under spring bias.

Referring to Figs. 4 and 7-9, the hair treating members **21-25** are mounted on a base housing **26** and are disposed so that the longitudinal axes of the hair treating members are generally parallel to each other with the partially cylindrical hair treating surfaces facing each other and in generally compressive contact.

5 The hair treating members are generally linearly disposed and mounted on a channel formed on the base housing **26**. Some of the hair treating members, for example, **21, 22, 24** and **25** are mounted with spring biasing so that they are urged by a lateral urging force along the transversal direction, i.e. the direction which is generally transversal to the axial or longitudinal axis of the cylindrical

10 body, towards their neutral positions.

The hair treating members are disposed so that they can be slightly displaced or deflected by acting against the spring urging force to form a plurality of hair treating gaps **41-44**. The channel provides a guide to the deflection or displacement of the movable hair treating members. It will be observed that the

15 hair treating fingers **21-25** generally resemble a collection of parallelly disposed fingers each with a top free end protruding beyond the top member **15** of the main housing **10**. The hair treating members **21-25** include a rounded or dome-shaped head **61-65** and the adjacent heads co-operate to form a hair engaging aperture which is convergent towards the downstream end of the main body so that they

20 can gradually approach the hair and easily engage a small bundle of hair between the gaps formed by the adjacent hair treating members. It will be appreciated that the convergent apertures formed between adjacent rounded or dome-shaped heads assist convenient engagement of the desirable portion of hair.

Turning now to the operation of this preferred embodiment, the hair styling

25 attachment **1** is coupled onto the outlet nozzle of a hot hair blower so that hot air

is delivered towards the plurality of hair treating members via the upstream end air inlet 12. The circumferential wall 14 of the main body defines an air enclosure so that the air entering the upstream end 12 will travel towards the downstream end 13. When hair treating gaps are formed upon engagement of the hair between the gaps, a portion of the hot air will exit through the base aperture between the adjacent displaced hair treating members and generally travel along the partially cylindrical hair treating surface. This will cause the hair treating surfaces to be heated up and, since the hair is caught under tension, movement of the hair treating members towards the end of the hair by, for example, moving the hair styling device will straighten the hair in a manner similar to ironing the hair by the hair treating surfaces.

It will be appreciated that the present attachment or features of this attachment can be incorporated with a hot air blowing device to form a standalone unit or apparatus for the same hair styling purposes.

While the present invention has been explained by reference to the preferred embodiments described above, it will be appreciated that the embodiments are only illustrated as examples to assist understanding of the present invention and are not meant to be restrictive on its scope. In particular, the scope, ambit and spirit of this invention are meant to include the general principles of this invention as inferred or exemplified by the embodiments described above. More particularly, variations or modifications which are obvious or trivial to persons skilled in the art, as well as improvements made on the basis of the present invention, should be considered as falling within the scope and boundary of the present invention.

Furthermore, while the present invention has been explained by reference to an hair styling attachment, it should be appreciated that the invention can apply, whether with or without modifications, to other hair styling devices or apparatus incorporating features of the present invention without loss of generality.

CLAIMS




1. A hair styling attachment including a main housing and at least a pair of hair treating members, said hair treating member includes at least a thermally conductive hair treating surface, said pair of hair treating members being
5 adjacently disposed with the corresponding hair treating surfaces on said pair of adjacent hair treating members generally in compressive contact, said corresponding hair treating surfaces on said pair of adjacent hair treating members being relatively displaceable to form a gap for receiving the hair to be treated, said main housing includes an air inlet and said hair
10 treating surface being communicable with said air inlet.
2. A hair styling attachment according to claim 1, wherein said adjacent hair treating surfaces on said pair of adjacent hair treating members being resiliently displaceable to form said hair engaging gap.
3. A hair styling attachment according to claim 1, wherein said hair treating
15 members includes a first end and a second end, the first end being a free end and the second end being mounted on said main housing, the first end of at least one of said hair treating member of said pair of hair treating members being resiliently deflectable and/or displaceable with respect to said main housing.
- 20 4. A hair styling attachment according to claim 3, wherein said hair treating member includes a generally cylindrical main body with a first cylindrical axis, said hair treating member includes at least a cylindrical roller with its cylindrical axis substantially parallel to and off-set from said first cylindrical axis so that at least part of the cylindrical surface of said cylindrical roller is




exposed from said cylindrical surface of said cylindrical main body and forming said cylindrical body and from said hair treating surface.


5. A hair styling attachment according to claim 1, wherein said main housing includes an upstream end and a downstream end, said hair treating members include a first and a second end, said first end being a free end and protrudes beyond said downstream end.
6. A hair styling attachment according to claim 5, wherein said first end of said hair treating member being deflectable and/or displaceable relative to said main housing and said corresponding hair treating surfaces being generally convexly disposed with respect to each other.
7. A hair styling attachment according to claim 5, wherein said hair treating member resembles a finger with a generally cylindrical body.
8. A hair styling attachment according to claim 5, wherein said hair treating member includes a generally elongated and thermally insulated main body mounted with a metallic surface to form said hair treating surface.
9. A hair styling attachment according to claim 8, wherein said metallic surface being generally curved with the same curvature extending along an axis of curvature, said axis of curvature being generally parallel to the longitudinal axis of said insulated main body.
10. A hair styling attachment according to claim 7 and including a plurality of hair treating members, wherein a first and a second hair treating surfaces are formed on some of said plurality of hair treating members, said hair treating

surfaces on the same hair treating member being generally diametrically disposed on said cylindrical body.

11. A hair styling treatment according to claim 5, wherein air entering said upstream end of said main housing can exit through the gap formed
5 between adjacent hair treating members.
12. A hair styling attachment according to claim 11, wherein said main housing includes an attachment means for coupling said device to a hot air blower.
13. A hair styling attachment according to claim 5 and including a plurality of hair treating members, wherein said plurality of hair treating members are
10 linearly disposed.
14. A hair styling attachment according to claim 5, wherein bristles generally parallel to the longitudinal axis said hair treating members are disposed on said main housing.
15. A hair styling attachment according to claim 5, wherein the second ends of
15 an adjacent pair of hair treating members co-operatively forms an hair engaging aperture, said hair engaging aperture being convergent towards said upstream end of said main housing.
16. A hair styling apparatus including a hair styling attachment of claim 5 and a hot air blower.
- 20 17. A hair styling apparatus of claim 15, wherein said styling device being detachable from said hot air blower.








SECTION C-C

FIG. 7



SECTION D-D

FIG. 8




FIG. 9

HAIR STYLING ATTACHMENT

ABSTRACT

A hair styling attachment including a main housing and at least a pair of
5 hair treating members, the hair treating member includes at least a thermally
conductive hair treating surface, the pair of hair treating members being adjacently
disposed with the corresponding hair treating surfaces on the pair of adjacent hair
treating members generally in compressive contact, the corresponding hair
treating surfaces on the pair of adjacent hair treating members being relatively
10 displaceable to form a gap for receiving the hair to be treated, the main housing
includes an air inlet and the hair treating surface being communicable with the air
inlet.